

WYKAZ URZĄDZEŃ I BUDOWLI - MELIORACIE SZCZEGÓŁOWE

Wies CHRZASTAWA WŁK.Gmina CZERNICAObiekt GRANICZNA

Rodzaj urządzenia symbol i nr	Długość szer. dna korony albo ϕ (m/m)	Budowle				
		Rodzaj budowli		Parametry		
		Numer i Symbol	Typ	Światło ϕ (m) hxb (m)	długość (m)	inne dane
1	2	3	4	5	6	7
Rów G - A	2065/0.5	564P	-	0.6	6.0	-
		1P	-	0.6	6.0	-
		565-571P	-	0.6	5.0	-
		3P	-	0.6	7.0	-
		24Z	-	0.5	-	0.8
Rów G - A - 1	100/0.4	-	-	-	-	-
Rów G - A - 2	160/0.4	-	-	-	-	-
Rów G - A - 3	90/0.4	-	-	-	-	-
Rów G - A - 4	190/0.4	-	-	-	-	-
Rów G - A - 5	190/0.4	-	-	-	-	-
Rów G - A - 6	90/0.4	-	-	-	-	-
Rów G - A - 7	150/0.4	-	-	-	-	-
Rów G - A - 8	90/0.4	-	-	-	-	-
Rów G - A - 9	120/0.4	2P	-	0.6	8.0	-
Rów G - A - 10	55/0.4	-	-	-	-	-
Rów G - A - 11	440/0.4	572P	-	0.6	6.0	-
Rów G - A - 12	180/0.4	-	-	-	-	-
Rów G - A - 13	125/0.4	-	-	-	-	-
Rów G - 1	105/0.4	-	-	-	-	-
Rów G - 2	160/0.4	-	-	-	-	-
Rów G - C	1775/2.5	71P	-	0.3	10.0	-
Rów G - C - 30	240/0.4	-	-	-	-	-
Rów G - C - 40	247/0.4	-	-	-	-	-
Rów G - C - 1	413/0.4	-	-	-	-	-
Rów G - C - 2	532/0.4	573P	B-1	0.6	7.0	-
		581-582P	P-1	0.6	7.0	-

- 2 -

WYKAZ URZĄDZEŃ I BUDOWLI - MELIORACIE SZCZEGÓŁOWE

Wies CIRZASTAW Wlk. Gmina CZERNICA Obiekt GRANICZNA

Rodzaj urządzenia symbol i nr	Długość szer. dna albo Φ (m/m)	Budowle				
		Rodzaj budowli		Parametry		
		Numer i Symbol	Typ	Światło Φ (m) hxb (m)	długość (m)	inne dane
1	2	3	4	5	6	7
Rów G - C - 3	50/0.4	-	-	-	-	-
Rów G - C - 4	1080/0.5	67P	-	0.6	6.0	-
		69P	-	0.5	9.0	-
		70P	-	0.5	6.0	-
Rów C - C - 12	1700/0.6	574P	-	0.8	10.0	-
		25Z	-	0.6	-	0.8
		73P	-	0.6	6.0	-
		574-575P	-	0.6	6.0	-
Rów C - C - 5	150/0.5	-	-	-	-	-
Rów G - C - 6	450/0.4	-	-	-	-	-
Rów G - C - 7	922/0.5	576P	B-1	0.6	6.0	-
		577-580P	B-1	0.6	7.0	-
		148M	-	0.10	-	-
		68P	D-2	0.6	8.0	-
		149-151K	-	0.075	-	-
Rów C - C - 8	300/0.4	-	-	-	-	-
Rów C - C - 9	300/0.4	-	-	-	-	-
Rów G - C - 10	294/0.4	-	-	-	-	-
Rów G - C - 11	180/0.4	-	-	-	-	-
Rów G - C - 13	320/0.4	-	-	-	-	-
Rów G - C - 14	455/0.4	72P	-	0.6	6.0	-
		584P	-	0.6	6.0	-
		585P	-	0.6	5.0	-
Rów G - C - 16	184/0.4	-	-	-	-	-
Rów G - C - 17	230/0.4	-	-	-	-	-
Rów G - C - 26	270/0.6	92P	-	0.6	6.0	-
Rów G - C - 27	110/0.4	-	-	-	-	-
Rów G - C - 30	940/0.6	586P	-	0.6	5.0	-

3

WYKAZ URZĄDZEŃ I BUDOWLI - MELIORACJE SZCZEGÓŁOWE

Wies CHRZASTAWA WLK.

Gmina CZERNICA

Obiekt GRANICZNA

Rodzaj urządzenia symbol i nr	Długość szer. dna korony albo Φ (m/m)	Budowle				
		Rodzaj budowli		Parametry		
		Numer i Symbol	Typ	Światło Φ (m) hxb (m)	długość (m)	inne dane
1	2	3	4	5	6	7
Rów G - C - 28	210/0.4	93P	-	0.6	5.0	-
Rów G - C - 29	183/0.4	-	-	-	-	-
Rów G - C - 30	160/0.4	-	-	-	-	-
Rów G - C - 31	90/0.4	-	-	-	-	-
Rów G - C - 32	90/0.4	-	-	-	-	-
Rów G - C - 33	130/0.4	-	-	-	-	-
Rów G - C - 34	155/0.4	-	-	-	-	-
Rów G - C - 35	180/0.4	-	-	-	-	-
Rów G - C - 36	130/0.4	-	-	-	-	-
Rów G - C - 37	215/0.4	-	-	-	-	-
Rów G - C - 18	850/0.6	77-78P 80P 587P	- - -	0.6 0.6 0.6	6.0 6.0 7.0	- - -
Rów G - C - 19	630/0.4	72P	-	0.6	6.0	-
Rów G - C - 20	100/0.4	-	-	-	-	-
Rów G - C - 21	755/0.5	81B 588-585P 596P	- - -	0.6 0.6 0.6	6.0 5.0 10.0	- - -
Rów G - C - 22	90/0.5	-	-	-	-	-
Rów G - C - 23	485/0.4	21P	P-1	0.6	7.0	-
Rów G - C - 24	245/0.4	22P	P-1	0.6	7.0	-
Rów G - 10	1095/0.4	170P 171P 172P 173-177P 178P 179P	P-2 P-1 - P-1 P-2 P-1	0.8 0.6 0.6 0.6 0.6 0.6	10.0 7.0 - 7.0 7.0 7.0	- - - - - -

WYKAZ URZĄDZEŃ I BUDOWLI - MELIORACJE SZCZEGÓŁOWE

Wies CHRZASTAWA WLK. Gmina CZERNICA Obiekt GRANICZNA

Rodzaj urządzenia symbol i nr	Długość szer. dna korony albo ϕ (m/m)	Budowle				
		Rodzaj budowli		Parametry		
		Numer i Symbol	Typ	Światło ϕ (m) hxb (m)	długość (m)	inne dane
1	2	3	4	5	6	7
Rów G - L	2776/0.5	180-181P	-	0.6	5.0	-
		183P	-	0.6	7.0	-
		184-191P	-	0.6	7.0	-
		206P	P-1	0.6	7.0	-
		208-209P	P-1	0.6	7.0	-
		152W	-	0.075	-	-
		153-161P	-	0.6	-	-
		153W	-	0.10	-	-
		154W	-	0.075	-	-
Rów G - L - 1	260/0.4	182P	-	0.5	7.0	-
Rów G - L - 2	850/0.5	192P	-	0.5	4.0	-
Rów G - L - 3	995/0.4	203P	P-2	0.6	7.0	-
		193-196P	P-1	0.6	7.0	-
Rów G - L - 4	430/0.4	197P	P-1	0.6	7.0	-
		198P	P-2	0.6	7.0	-
Rów G - L - 5	655/0.5	199-202P	P-1	0.6	7.0	-
		156W	-	0.075	-	-
		157W	-	0.15	-	-
		158W	-	0.075	-	-
Rów G - L - 6	235/0.4	204P	P-1	0.6	7.0	-
		205P	P-2	0.6	7.0	-
		155W	-	0.15	-	-
Rów G - L - 7	542/0.4	207P	P-1	0.6	7.0	-
		162W	-	0.075	-	-
Rów G - L - 8	110/0.4	-	-	-	-	-

28.728.

05P/2014