

WYKAZ URZĄDZEŃ I BUDOWLI - MELIORACJE SZCZEGÓŁOWE

 Wieś DOBRZYKOWICE

 Gmina CZERNICA

 Obiekt WIDAWA II

Rodzaj urządzenia symbol i nr	Długość szer. dna korony albo ϕ (m/m)	Budowle				
		Rodzaj budowli		Parametry		
		Numer i Symbol	Typ	Swiatlo ϕ (m) hxb (m)	długość (m)	inne dane
1	2	3	4	5	6	7
Rów W-J	990/0.8	1PW		1.0		
Rów W-J-1	3000/0.8	2P	D-3	0.8	5.0	
		3P	D-3	0.8	5.0	
		4P		0.8	12.0	
		5P		0.4	10.0	
		21P		0.5	6.0	
Rów W-J-2	185/0.4					
Rów W-J-3	1375/0.5	30P		0.4	10.0	
		31P		0.4	4.4	
		32P		0.4	2.9	
		33P		0.4	9.9	
		34P		0.4	3.4	
		35P		0.4	4.0	
		36P		0.4	4.0	
		37P		0.4	4.3	
		38P		0.3	3.0	
		39P		0.5	6.0	
Rów W-J-4	805/0.4	29P		0.4	10.0	
Rów W-J-5	310/0.4					
Rów W-J-6	170/0.4					
Rów W-J-7	145/0.4	6P		0.4	4.0	
		7P		0.4	4.0	
Rów W-K	1950/0.6	75P		0.6	6.0	
		76P		0.6	6.0	
		77P	D-3	0.6	5.0	
		78P		1.1	5.0	
		79M		2.5x1.0	12.0	
		87P		0.6	5.0	
		89P		0.8	6.0	
		90M		0.5	6.0	

WYKAZ URZĄDZEŃ I BUDOWLI - MELIORACJE SZCZEGÓŁOWE

 Wieś DOBRZYKOWICE cd.

 Gmina CZERNICA

 Obiekt WIDAWA II

Rodzaj urządzenia symbol i nr	Długość szer. dna korony albo ϕ (m/m)	Budowle				
		Rodzaj budowli		Parametry		
		Numer i Symbol	Typ	Światło ϕ (m) hxb (m)	długość (m)	inne dane
1	2	3	4	5	6	7
Rów W-K-1	711/0.4	80P		0.3	3.0	
		81P		0.3	2.6	
		82P		0.3	3.0	
		83P		0.3	3.0	
		84P		0.3	3.0	
		85P		0.3	3.5	
		86P		0.3	4.0	
Rów W-K-2	570/0.4	88P		0.4	6.0	
Rów W-1	736/0.5	214P		0.4	5.0	
		215W		0.10		
Rów W-2	1567/0.5	216P	D-3	0.6	5.0	
		217		0.2	5.0	
Rów W-L	2871/0.6	221P	D-3	0.6	5.0	
		222P	D-3	0.6	5.0	
		223P	D-3	0.6	5.0	
		228P		0.8	5.0	
		229P		0.3	3.0	
		233P		0.3	3.0	
		234P				
		235W		0.10		
		236P		0.4	2.0	
		237P		0.4	2.0	
		238P		0.4	2.0	
		239P		0.4	3.0	
		240P		0.4	3.0	
		241P		0.4	4.0	
		242P		0.6	7.0	
		243P		0.4	3.0	
244P		1.1	5.0			
250P						
251P			0.4	5.0		
252P			0.4	4.0		

WYKAZ URZĄDZEŃ I BUDOWLI - MELIORACJE SZCZEGÓŁOWE

 Wieś DOBRZYKOWICE cd.

 Gmina CZERNICA

 Obiekt WIDAWA II

Rodzaj urządzenia symbol i nr	Długość szer. dna korony albo ϕ (m/m)	Budowle				
		Rodzaj budowli		Parametry		
		Numer i Symbol	Typ	Światło ϕ (m) hxb (m)	długość (m)	inne dane
1	2	3	4	5	6	7
Rów W-L		253P		0.4	4.0	
		254P		0.4	4.0	
		255P		0.4	4.0	
		261P		0.4	4.0	
		262P		0.4	4.0	
		263P		0.4	4.0	
		264P		0.8	6.5	
Rów W-L-1	2103/0.5	224P		0.4	5.5	
		225P		0.5	7.0	
		226P		0.5	7.0	
		227P		0.5	7.0	
Rów W-L-2	120/0.4					
Rów W-L-3	250/0.4					
Rów W-L-4	260/0.4					
Rów W-L-5	149/0.4					
Rów W-L-6	320/0.4	230P				
		231P				
		232P				
Rów W-L-7	440/0.4	245P		0.3	6.0	
		246P		0.4	4.0	
		247P		0.3	5.0	
		248P		0.4	6.0	
		249W	W-1	0.10		
Rów W-L-8	458/0.4	256P		0.3	4.0	
		257P		0.3	4.0	
		258P		0.3	4.0	
		259P		0.5	9.0	

WYKAZ URZĄDZEŃ I BUDOWLI - MELIORACJE SZCZEGÓŁOWE

Wies DOBRZYKOWICE cd. Gmina CZERNICA Obiekt WIDAWA 01

Rodzaj urządzenia symbol i nr	Długość szer. dna korony albo ϕ (m/m)	Budowle					
		Rodzaj budowli		Parametry			
		Numer i Symbol	Typ	Światło ϕ (m) hxb (m)	długość (m)	inne dane	
1	2	3	4	5	6	7	
Rów W-3	1445/0.6	266P	D-2	0.6	5.0		
		267P	D-2	0.6	5.0		
		268P	D-3	0.6	5.0		
		269P	D-2	0.6	5.0		
		270P	D-2	0.6	5.0		
Rów W-4	759/0.5	273P	D-2	0.6	5.0		
		274P	D-2	0.6	5.0		
		275P	D-2	0.6	3.0		
Rów W-M	710/0.6	276P	D-3	0.8	7.0		
		277P	D-2	0.6	6.0		
		279P	D-2	0.6	5.0		
		278P	D-2	0.6	5.0		
Rów W-M-1	645/0.5	278P	D-3	0.6	6.0		
Rów W-N	700/0.6	284P	D-2	0.6	5.0		
Rów W-S	1335/0.6	397P	D-3	0.6	7.0		
		398P	D-3	0.6	6.0		
		399P					
		400P	D-2	0.6	5.0		
		401P	D-2	0.6	5.0		
Rów W-S-1	240/0.4						
Rów W-S-2	260/0.4						
Razem:	25579	Razem 3W					