


CERAMIC THERMOWELLS



D [mm]	g [mm]	l [mm]	MATERIAL	ORDER No.
Ø4	1	230	C 610 1400°C	4 - L1690.2
Ø5	1	520		4 - L1690.3
Ø7	1	180		4 - L1690.4
		305		4 - L1690.5
		520		4 - L1690.6
		620		4 - L1690.7
Ø10	1.5	375		4 - L1690.8
		530		4 - L1690.9
		730		4 - L1690.10
		1020		4 - L1690.11
Ø15	2	530		4 - L1690.12
		740		4 - L1690.13
		1030		4 - L1690.14
		1430		4 - L1690.15
Ø24	2.5	530		4 - L1690.16
		740		4 - L1690.17
		1030		4 - L1690.18
		1430		4 - L1690.19
Ø7	1	180		4 - L1690.20
		520		4 - L1690.21
		1020	4 - L1690.22	
Ø8	1.5	520	4 - L1690.23	
		1020	4 - L1690.24	
Ø10	1.5	540	4 - L1690.25	
		1020	4 - L1690.26	
Ø15	2.5	315	4 - L1690.27	
		530	4 - L1690.28	
		740	4 - L1690.29	
		1030	4 - L1690.30	
		1430	4 - L1690.31	
		2030	4 - L1690.32	
Ø24	3	530	4 - L1690.33	
		740	4 - L1690.34	
		1030	4 - L1690.35	
		1430	4 - L1690.36	
Ø26	4	530	4 - L1690.37	
		740	4 - L1690.38	
		1030	4 - L1690.39	
		1430	4 - L1690.40	
		2030	4 - L1690.41	
			C530 1600°C	

CERAMIC INSULATORS,
THERMOWELLS